

СПИСОК ВИКОРИСТАНИХ ДЖЕРЕЛ

1. Prasad P, Williams D. Introduction to nonlinear optical effects in molecules and polymers. New York: Wiley; 1991. 307 p.
2. Samyn C, Verbiest T, Persoons A. Second-order non-linear optical polymers. *Macromolecular Rapid Communications*. 2000;21(1):1-15.
3. Peyghambarian N. Photonic Materials and Devices. *Int. J Optics and Photonics*. 2017;1(1):7-14.
4. Dalton L. Nonlinear optical polymeric materials: from chromophore design to commercial applications. *Polymers for Photonics Applications I*. Berlin/Heidelberg: Springer Berlin Heidelberg; 2017. p. 1-86.
5. Marder S, Kippelen B, Jen A, Peyghambarian N. Design and synthesis of chromophores and polymers for electro-optic and photorefractive applications. *Nature*. 1997;388(6645):845-851.
6. Jacobson S, Landi P, Findakly T, Stamatoff J, Yoon H. Nonlinear optical polymers in advanced photonics. *Journal of Applied Polymer Science*. 1994;53(5):649-663.
7. Moerner W, Silence S. Polymeric photorefractive materials. *Chemical Reviews*. 1994;94(1):127-155.
8. Viswanathan N, Kim D, Bian S, Williams J, Liu W, Li L et al. Surface relief structures on azo polymer films. *Journal of Materials Chemistry*. 1999;9(9):1941-1955.
9. Shishido A. Rewritable holograms based on azobenzene-containing liquid-crystalline polymers. *Polymer Journal*. 2010;42(7):525-533.
10. Hrozhyk U, Serak S, Tabiryan N, Hoke L, Steeves D, Kimball B. Azobenzene liquid crystalline materials for efficient optical switching with pulsed and/or continuous wave laser beams. *Optics Express*. 2010;18(8):8697.
11. Kravchenko A, Shevchenko A, Ovchinnikov V, Priimagi A, Kaivola M. Optical Interference Lithography Using Azobenzene-Functionalized Polymers for Micro- and Nanopatterning of Silicon. *Advanced Materials*. 2011;23(36):4174-4177.

12. Schwung S, Rytz D, Gross A, Rodewald U, Hoffmann R, Gerke B et al. LiEuMo2O8 – crystal growth, structure, and optical properties. *Optical Materials*. 2014;36(3):585-590.

13. Yesodha S, Sadashiva Pillai C, Tsutsumi N. Stable polymeric materials for nonlinear optics: a review based on azobenzene systems. *Progress in Polymer Science*. 2004;29(1):45-74.

14. Kajzar F, Lee K, Jen A. Polymeric Materials and their Orientation Techniques for Second-Order Nonlinear Optics. *Advances in Polymer Science*. :1-85.

15. Shi Y. Low (Sub-1-Volt) Halfwave Voltage Polymeric Electro-optic Modulators Achieved by Controlling Chromophore Shape. *Science*. 2000;288(5463):119-122.

16. Jecs E, Kreicberga J, Kampars V, Jurgis A, Rutkis M. Novel azobenzene precursors for NLO active polyuretanes: Synthesis, quantum chemical and experimental characterization. *Optical Materials*. 2009;31(11):1600-1607.

17. Kleinpeter E, Bölke U, Kreicberga J. Quantification of the push–pull character of azo dyes and a basis for their evaluation as potential nonlinear optical materials. *Tetrahedron*. 2010;66(25):4503-4509.

18. Lee S, Rhee B, Lee S, Lee J, Park K. Second-order Nonlinear Optical Properties of Amorphous Molecules Based on 5-(4-Diethylamino-benzylidene)-1,3-dimethyl-pyrimidine-2,4,6-trione. *J Photoscience*. 2003;10(2):203-208.

19. Shevchenko V, Sidorenko A, Bliznyuk V, Tkachenko I, Shekera O. Azo-containing polyurethanes with nonlinear-optical properties. *Polymer Science Series A*. 2013;55(1):1-31.

20. Tasaganva R, Kariduraganavar M, Inamdar S. Synthesis and nonlinear optical properties of polyurethanes containing nitro-substituted 1,3,4-oxadiazole chromophores. *Synthetic Metals*. 2009;159(17-18):1812-1819.

21. Kim T, Lee K, Jeong Y, Jo J, Chang S. Nonlinear optical properties of a processable polyimide having azo-dye functionalized with cyanosulfonyl group. *Synthetic Metals*. 2001;117(1-3):307-309.

22. Robinson B, Dalton L. Monte Carlo Statistical Mechanical Simulations of the Competition of Intermolecular Electrostatic and Poling-Field Interactions in Defining Macroscopic Electro-Optic Activity for Organic Chromophore/Polymer Materials†. *The Journal of Physical Chemistry A*. 2000;104(20):4785-4795.

23. Шевченко В, Ткаченко И, Кононевич Ю, Сидоренко А, Шекера О. Синтез фторированных азосодержащих бисфенолов. *Доповіді НАН України*. 2000;7:136-141.

24. Шевченко В, Ткаченко И, Кононевич Ю, Сидоренко А, Шекера О. Синтез и свойства ароматического полиэфира, содержащего перфторированные моно- и бифениленовые фрагменты. *Доповіді НАН України*. 2009;8:153-157.

25. Шевченко В, Ткаченко И, Кононевич Ю, Сидоренко А, Шекера О. Полиарилловые эфиры, содержащие перфторированные моно- и бифениленовые фрагменты в цепи. *Полимерный журнал*. 2010;32(3):243-250.

26. Heesink G, Ruiter A, van Hulst N, Bölger B. Determination of hyperpolarizability tensor components by depolarized hyper Rayleigh scattering. *Physical Review Letters*. 1993;71(7):999-1002.

27. Серова В. Полимерные оптические материалы. СПб: Научные основы и технологии; 2011.

28. Ganeev R, Boltaev G, Sobirov B, Usmanov T, Smirnov M, Ovchinnikov O et al. Nonlinear optical properties of associates of dyes with zinc sulfide nanoparticles. *Journal of Optical Technology*. 2018;85(5):302.

29. Liu X, Yang Z, Wang D, Cao H. Molecular Structures and Second-Order Nonlinear Optical Properties of Ionic Organic Crystal Materials. *Crystals*. 2016;6(12):158.

30. Liu Y, Liu H, Qin G, Gui Z, Yang Z, Liu J. Study of novel nonlinear optical material based on Poly(aryl ether ketone) and its application in SHG imaging. *Optical Materials*. 2017;72:392-396.

31. Belardini A. Fluorinated and Non-Fluorinated Electro-Optic Copolymers: Determination of the Time and Temperature Stability of the Induced Electro-Optic Coefficient. *Applied Sciences*. 2012;2(4):682-708.

32. Sugita A, Sato Y, Ito K, Murakami K, Tamaki Y, Mase N et al. Second-Order Nonlinear Optical Susceptibilities of Nonelectrically Poled DR1–PMMA Guest–Host Polymers. *The Journal of Physical Chemistry B*. 2013;117(47):14857-14864.
33. Kuzyk M, Paek U, Dirk C. Guest-host polymer fibers for nonlinear optics. *Applied Physics Letters*. 1991;59(8):902-904.
34. Singer K, Kuzyk M, Holland W, Sohn J, Lalama S, Comizzoli R et al. Electro-optic phase modulation and optical second-harmonic generation in corona-poled polymer films. *Applied Physics Letters*. 1988;53(19):1800-1802.
35. Kajikawa K, Nagamori H, Takezoe H, Fukuda A, Ukishima S, Takahashi Y et al. Optical Second Harmonic Generation from Poled Thin Films of Aromatic Polyurea Prepared by Vapor Deposition Polymerization. *Japanese Journal of Applied Physics*. 1991;30(Part 2, No. 10A):L1737-L1740.
36. Sun S, Dalton L. *Introduction to Organic Electronic and Optoelectronic Materials and Devices*. Hoboken: CRC Press; 2008.
37. Shelkovnikov V, Selivanova G, Lyubas G, Korotaev S, Shundrina I, Tretyakov E et al. Second-order nonlinear optical properties of composite material of an azo-chromophore with a tricyanodiphenyl acceptor in a poly(styrene- co -methyl methacrylate) matrix. *Optical Materials*. 2017;69:67-72.
38. Burland D, Miller R, Walsh C. Second-order nonlinearity in poled-polymer systems. *Chemical Reviews*. 1994;94(1):31-75.
39. Yamada T, Aoki I, Miki H, Yamada C, Otomo A. Effect of methoxy or benzyloxy groups bound to an amino-benzene donor unit for various nonlinear optical chromophores as studied by hyper-Rayleigh scattering. *Materials Chemistry and Physics*. 2013;139(2-3):699-705.
40. Wojciechowski A, Raposo M, Castro M, Kuznik W, Fuks-Janczarek I, Pokladko-Kowar M et al. Nonlinear optoelectronic materials formed by push–pull (bi)thiophene derivatives functionalized with di(tri)cyanovinyl acceptor groups. *Journal of Materials Science: Materials in Electronics*. 2014;25(4):1745-1750.

41. Cañeque T, Cuadro A, Alvarez-Builla J, Pérez-Moreno J, Clays K, Castaño O et al. Novel charged NLO chromophores based on quinolizinium acceptor units. *Dyes and Pigments*. 2014;101:116-121.

42. Davies J, Elangovan A, Sullivan P, Olbricht B, Bale D, Ewy T et al. Rational Enhancement of Second-Order Nonlinearity: Bis-(4-methoxyphenyl)heteroaryl-amino Donor-Based Chromophores: Design, Synthesis, and Electrooptic Activity. *Journal of the American Chemical Society*. 2008;130(32):10565-10575.

43. Ma X, Liang R, Yang F, Zhao Z, Zhang A, Song N et al. Synthesis and properties of novel second-order NLO chromophores containing pyrrole as an auxiliary electron donor. *Journal of Materials Chemistry*. 2008;18(15):1756.

44. Andreu R, Galán E, Orduna J, Villacampa B, Alicante R, Navarrete J et al. Aromatic/Proaromatic Donors in 2-Dicyanomethylenethiazole Merocyanines: From Neutral to Strongly Zwitterionic Nonlinear Optical Chromophores. *Chemistry - A European Journal*. 2010;17(3):826-838.

45. Kaur P, Kaur M, Depotter G, Van Cleuvenbergen S, Asselberghs I, Clays K et al. Thermally stable ferrocenyl “push–pull” chromophores with tailorable and switchable second-order non-linear optical response: synthesis and structure–property relationship. *Journal of Materials Chemistry*. 2012;22(21):10597.

46. Mata J, Peris E, Asselberghs I, Van Boxel R, Persoons A. Large second-order NLO properties of new conjugated oligomers with a pendant ferrocenyl and an end-capped pyridine. *New Journal of Chemistry*. 2001;25(8):1043-1046.

47. Bhuiyan M, Ashraf M, Teshome A, Gainsford G, Kay A, Asselberghs I et al. Synthesis, linear & non linear optical (NLO) properties of some indoline based chromophores. *Dyes and Pigments*. 2011;89(2):177-187.

48. Zhou T, Liu J, Deng G, Wu J, Bo S, Qiu L et al. Synthesis and characterization of novel electro-optic chromophores based on 4-hydroxycarbazole. *Materials Letters*. 2013;97:117-120.

49. Ashraf M, Teshome A, Kay A, Gainsford G, Bhuiyan M, Asselberghs I et al. NLO chromophores containing dihydrobenzothiazolylidene and

dihydroquinolinylidene donors with an azo linker: Synthesis and optical properties. *Dyes and Pigments*. 2013;98(1):82-92.

50. Sun Y, Cui Y. The synthesis, characterization and properties of coumarin-based chromophores containing a chalcone moiety. *Dyes and Pigments*. 2008;78(1):65-76.

51. Deng G, Bo S, Zhou T, Zhang R, Liu J, Liu X et al. Hydrogen-bonded network: An effective approach to improve the thermal stability of organic/polymer electro-optic materials. *Science China Chemistry*. 2012;56(2):169-173.

52. Li Z, Yu G, Wu W, Liu Y, Ye C, Qin J et al. Nonlinear optical dendrimers from click chemistry: convenient synthesis, new function of the formed triazole rings, and enhanced NLO effects. *Macromolecules*. 2009;42(12):3864-3868.

53. Boyd R, Gehr R, Fischer G, Sipe J. Nonlinear optical properties of nanocomposite materials. *Pure and Applied Optics: Journal of the European Optical Society Part A*. 1996;5(5):505-512.

54. Markel V. Introduction to the Maxwell Garnett approximation: tutorial. *Journal of the Optical Society of America A*. 2016;33(7):1244.

55. Schmidt D, Schubert M. Anisotropic Bruggeman effective medium approaches for slanted columnar thin films. *Journal of Applied Physics*. 2013;114(8):083510.

56. Lindsay G, Stenger-Smith J, Henry R, Hoover J, Nissan R, Wynne K. Main-chain accordion polymers for nonlinear optics. *Macromolecules*. 1992;25(22):6075-6077.

57. Lee J, Kim J, Jung W. Synthesis and electro-optic properties of novel t-type polyester with high thermal stability of dipole alignment. *Bulletin of the Korean Chemical Society*. 2007;28(2):329-332.

58. Lee S, Kim Y, Won Y. Nonlinear Optical Properties of Poly-p-(phenylene terephthalates) with Side Group Chromophores. *Macromolecules*. 1999;32(2):342-347.

59. Li Z, Li Z, Di C, Zhu Z, Li Q, Zeng Q et al. Structural control of the side-chain chromophores to achieve highly efficient nonlinear optical polyurethanes. *Macromolecules*. 2006;39(20):6951-6961.

60. Tambe S, Tasaganva R, Jogul J, Castiglione D, Kariduraganavar M. Development of polyurethanes with azo-type chromophores for second-order nonlinear optical applications. *Journal of Applied Polymer Science*. 2009;114(4):2291-2300.

61. Fusco S, Centore R, Riccio P, Quatela A, Stracci G, Archetti G et al. NLO-active polymers containing triazolo-thiadiazole segments. *Polymer*. 2008;49(1):186-191.

62. No H, Jang H, Jin Cho Y, Lee J. Synthesis and nonlinear optical properties of novel Y-type polyurethane containing tricyanovinylthiazole with enhanced thermal stability of second harmonic generation. *Journal of Polymer Science Part A: Polymer Chemistry*. 2010;48(5):1166-1172.

63. Li Z, Zeng Q, Li Z, Dong S, Zhu Z, Li Q et al. An attempt to modify nonlinear optical effects of polyurethanes by adjusting the structure of the chromophore moieties at the molecular level using "Click" chemistry. *Macromolecules*. 2006;39(24):8544-8546.

64. Ja Lee M, Piao M, Jeong M, Hae Lee S, Min Kang K, Jeon S et al. Novel azo octupoles with large first. *Journal of Materials Chemistry*. 2003;13(5):1030-1037.

65. Li Z, Wu W, Ye C, Qin J, Li Z. Two types of nonlinear optical polyurethanes containing the same isolation groups: syntheses, optical properties, and influence of binding mode. *The Journal of Physical Chemistry B*. 2009;113(45):14943-14949.

66. Li Z, Dong S, Yu G, Li Z, Liu Y, Ye C et al. Novel second-order nonlinear optical main-chain polyurethanes: Adjustable subtle structure, improved thermal stability and enhanced nonlinear optical property. *Polymer*. 2007;48(19):5520-5529.

67. Li Q, Li Z, Ye C, Qin J. New indole-based chromophore-containing main-chain polyurethanes: architectural modification of isolation group, enhanced

nonlinear optical property, and improved optical transparency. *The Journal of Physical Chemistry B*. 2008;112(16):4928-4933.

68. Xu G, Liu X, Si J, Ye P, Li Z, Shen Y. Optical poling in a crosslinkable polymer system. *Applied Physics B: Lasers and Optics*. 1999;68(4):693-696.

69. Guo B, Liu F, Zhu L, Chen Y, Zhang Q, Wang G. Study on the all-optical poling behavior of a series of side-chain azo copolymers and homopolymer. *Journal of Optoelectronics and Advanced Materials*. 2005;7(3):1523-1528.

70. Vilitis O, Fonavs E, Rutkis M. Chromofore poling in thin films of organic glasses. 1. Overview of corona discharge application. *Latvian Journal of Physics and Technical Sciences*. 2011;48(6).

71. Makwani d, Vijaya r. Solvent effects on the dispersion of linear polarizability and first hyperpolarizability of para-nitroaniline using polarizable continuum model. *Journal of Nonlinear Optical Physics & Materials*. 2009;18(01):85-97.

72. Wang R, Beling C, Fung S, Djurišić A, Ling C, Li S. Influence of gaseous annealing environment on the properties of indium-tin-oxide thin films. *Journal of Applied Physics*. 2005;97(3):033504.

73. Su C, Sheu T, Chang Y, Wan M, Feng M, Hung W. Preparation of ITO thin films by sol-gel process and their characterizations. *Synthetic Metals*. 2005;153(1-3):9-12.

74. Мішуров Д. Методи визначення нелінійно-оптичних матеріалів. *Полімерний журнал*. 2015;37(2):107-114.

75. Shen Y. *The principles of nonlinear optics*. Hoboken (N.J.): J. Wiley; 2003, 576 p.

76. Maker P, Terhune R, Nisenoff M, Savage C. Effects of dispersion and focusing on the production of optical harmonics. *Physical Review Letters*. 1962;8(1):21-22.

77. Jerphagnon J, Kurtz S. Maker fringes: a detailed comparison of theory and experiment for isotropic and uniaxial crystals. *Journal of Applied Physics*. 1970;41(4):1667-1681.

78. Clays K, Persoons A. Hyper-Rayleigh scattering in solution. *Review of Scientific Instruments*. 1992;63(6):3285-3289.

79. Clays K, Persoons A, De Mayer L. *Modern Nonlinear Optics, Part III. Advances in Chemical Physics*. 2001;:455–499.

80. Noordman O, van Hulst N. Time-resolved hyper-Rayleigh scattering: measuring first hyperpolarizabilities β of fluorescent molecules. *Chemical Physics Letters*. 1996;253(1-2):145-150.

81. Olbrechts G, Strobbe R, Clays K, Persoons A. High-frequency demodulation of multi-photon fluorescence in hyper-Rayleigh scattering. *Review of Scientific Instruments*. 1998;69(6):2233-2241.

82. Olbrechts G, Wostyn K, Clays K, Persoons A. High-frequency demodulation of multiphoton fluorescence in long-wavelength hyper-Rayleigh scattering. *Optics Letters*. 1999;24(6):403.

83. Schmälzlin E, Bitterer U, Langhals H, Bräuchle C, Meerholz K. Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching. *Chemical Physics*. 1999;245(1-3):73-78.

84. Serbutoviez C, Bosshard C, Knoepfle G, Wyss P, Pretre P, Guenter P et al. Hydrazone Derivatives, an Efficient Class of Crystalline Materials for Nonlinear Optics. *Chemistry of Materials*. 1995;7(6):1198-1206.

85. Blanchard-Desce M, Alain V, Midrier L, Wortmann R, Lebus S, Glania C et al. Intramolecular charge transfer and enhanced quadratic optical non-linearities in push pull polyenes. *Journal of Photochemistry and Photobiology A: Chemistry*. 1997;105(2-3):115-121.

86. Pawlik G, Rau I, Kajzar F, Mitus A. Second-harmonic generation in poled polymers: pre-poling history paradigm. *Optics Express*. 2010;18(18):18793.

87. Samoc A, Samoc M, Luther-Davies B, Kolev V, Bagien R, Luo X et al. In Situ Second Harmonic Generation in Disperse Red 1-Doped Polymer and Sol-Gel Films. *Molecular Crystals and Liquid Crystals*. 2006;446(1):123-140.

88. Zhang L, Cui D. Investigation of second-harmonic generation and molecular orientation in electrostatically self-assembled thin films. *Polymers*. 2011;3(4):1297-1309.

89. Bosshard C, Knöpfle G, Prêtre P, Günter P. Second-order polarizabilities of nitropyridine derivatives determined with electric-field-induced second-harmonic generation and a solvatochromic method: A comparative study. *Journal of Applied Physics*. 1992;71(4):1594-1605.

90. Zadrożna I, Kaczorowska E. Relationship between structure and nonlinear optical properties of new bisazo chromophores. Theoretical and experimental study. *Structural Chemistry*. 2007;19(1):131-135.

91. Paley M, McGill R, Howard S, Wallace S, Harris J. Solvatochromism: a new method for polymer characterization. *Macromolecules*. 1990;23(21):4557-4564.

92. Paley M, Harris J, Looser H, Baumert J, Bjorklund G, Jundt D et al. A solvatochromic method for determining second-order polarizabilities of organic molecules. *The Journal of Organic Chemistry*. 1989;54(16):3774-3778.

93. Zhang L, Cai Z, Yu Q, Liang Z. Photocrosslinked polymer and interpenetrating polymer network for nonlinear optics. *Journal of Applied Polymer Science*. 1999;71(7):1081-1087.

94. Zhang X, Li M, Shi Z, Jin R, Wang X, Yan Y et al. Novel photo-cross-linkable polymer bearing spindle-type chromophores for second-order non-linear optical materials. *Journal of Materials Science*. 2011;46(13):4458-4464.

95. Xie H, Liu Z, Huang X, Guo J. Synthesis and non-linear optical properties of four polyurethanes containing different chromophore groups. *European Polymer Journal*. 2001;37(3):497-505.

96. Xie H, Huang X, Guo J. Synthesis and properties of two kinds of nonlinear optical interpenetrating polymer networks. *Journal of Applied Polymer Science*. 1996;60(4):537-542.

97. Jensen L, van Duijnen P. The first hyperpolarizability of p-nitroaniline in 1,4-dioxane: A quantum mechanical/molecular mechanics study. *The Journal of Chemical Physics*. 2005;123(7):074307.

98. Balakina M, Fominykh O, Rua F, Branchadell V. Modeling of epoxy oligomers with nonlinear optical chromophores in the main chain: molecular dynamics and quantum chemical study. *International Journal of Quantum Chemistry*. 2007;107(13):2398-2408.

99. Brédas J. Conjugated polymers and oligomers: Designing novel materials using a quantum-chemical approach. *Advanced Materials*. 1995;7(3):263-274.

100. Champagne B, Kirtman B. Vibrational versus electronic first hyperpolarizabilities of π -conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker. *Chemical Physics*. 1999;245(1-3):213-226.

101. Lipiński J, Bartkowiak W. Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations. *Chemical Physics*. 1999;245(1-3):263-276.

102. Painelli A. Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes. *Chemical Physics*. 1999;245(1-3):185-197.

103. Bella S, Fragala I, Ratner M, Marks T. Chromophore Environmental Effects in Saltlike Nonlinear Optical Materials. A Computational Study of Architecture/Anion Second-Order Response Relationships in High- β . Stilbazolium Self-Assembled Films. *Chemistry of Materials*. 1995;7(2):400-404.

104. Marder S, Perry J. Nonlinear Optical Polymers: Discovery to Market in 10 Years?. *Science*. 1994;263(5154):1706-1707.

105. Marder S, Gorman C, Meyers F, Perry J, Bourhill G, Bredas J et al. A Unified Description of Linear and Nonlinear Polarization in Organic Polymethine Dyes. *Science*. 1994;265(5172):632-635.

106. Jen A, Cai Y, Bedworth P, Marder S. Synthesis and characterization of highly efficient and thermally stable diphenylamino-substituted thiophene stilbene chromophores for nonlinear optical applications. *Advanced Materials*. 1997;9(2):132-135.

107. Giesecking R, Risko C, Brédas J. Distinguishing the Effects of Bond-Length Alternation versus Bond-Order Alternation on the Nonlinear Optical

Properties of π -Conjugated Chromophores. *The Journal of Physical Chemistry Letters*. 2015;6(12):2158-2162.

108. Карякин Ю, Ангелов И. Чистые химические вещества. Москва: Химия; 1974.

109. Mishurov D, Voronkin A, Roshal A. Synthesis, molecular structure and optical properties of glycidyl derivatives of quercetin. *Structural Chemistry*. 2015;27(1):285-294.

110. Labanowski J, Andzelm J. *Density Functional Methods in Chemistry*. New York, NY: Springer New York; 1991.

111. Zhao Y, Truhlar D. The M06 suite of density functionals for main group thermochemistry, thermochemical kinetics, noncovalent interactions, excited states, and transition elements: two new functionals and systematic testing of four M06-class functionals and 12 other functionals. *Theoretical Chemistry Accounts*. 2007;120(1-3):215-241.

112. Francl M, Pietro W, Hehre W, Binkley J, Gordon M, DeFrees D et al. Self-consistent molecular orbital methods. XXIII. A polarization-type basis set for second-row elements. *The Journal of Chemical Physics*. 1982;77(7):3654-3665.

113. Hariharan P, Pople J. The influence of polarization functions on molecular orbital hydrogenation energies. *Theoretica Chimica Acta*. 1973;28(3):213-222.

114. Frisch M, Trucks G, Schlegel H, Scuseria G, Robb M, Cheeseman J, Montgomery J, Vreven T, Kudin K, Burant J, et al. *Gaussian 09, revision C.02*; Gaussian, Inc.: Wallingford, CT; 2004

115. Tomasi J, Persico M. Molecular Interactions in Solution: An Overview of Methods Based on Continuous Distributions of the Solvent. *Chemical Reviews*. 1994;94(7):2027-2094.

116. Barone V, Cossi M, Tomasi J. A new definition of cavities for the computation of solvation free energies by the polarizable continuum model. *The Journal of Chemical Physics*. 1997;107(8):3210-3221.

117. Doroshenko A.O. (1999) *Spectral Data Lab software*, Kharkiv.

118. General methods of test for pigments and extenders. Part 10. Determination of density. Pyknometer method. ISO 787-10:1993
119. Birnie D. Spin Coating Technique. Sol-Gel Technologies for Glass Producers and Users. 2004;:49-55.
120. Guo H, Liu L, Hao X, Niu K, Chou X. Profile measurement system based on linnik-type interferometric microscope for visible-light region and infrared-light region. *Optics & Laser Technology*. 2011;43(7):1184-1189.
121. 3. ISO 2409: 1992. Paints and varnishes. Cross-cut test. – 1992. – P. 1-8.
122. International Standardization Organization, 1997. ISO 846:1997. Plastics –evaluation of the Action of Microorganisms, 22 pp.
123. Hanemann T, Böhm J, Honnef K, Ritzhaupt-Kleissl E, Haußelt J. Polymer/Phenanthrene-Derivative Host-Guest Systems: Rheological, Optical and Thermal Properties. *Macromolecular Materials and Engineering*. 2007;292(3):285-294.
124. Rau I, Armatys P, Chollet P, Kajzar F, Bretonnière Y, Andraud C. Aggregation: A new mechanism of relaxation of polar order in electro-optic polymers. *Chemical Physics Letters*. 2007;442(4-6):329-333.
125. Voronkin A, Mishurov D, Roshal A. Hydroxyflavone-containing polymers: theoretical prediction of spectral and nonlinear optical properties. *Functional Materials*. 2019;26(1):164-173.
126. Nakagawa I, Tsuchida A, Shimanouchi T. Infrared Transmission Spectrum and Lattice Vibration Analysis of Some Perovskite Fluorides. *The Journal of Chemical Physics*. 1967;47(3):982-989.
127. Nikafshar S, Zabihi O, Ahmadi M, Mirmohseni A, Taseidifar M, Naebe M. The Effects of UV Light on the Chemical and Mechanical Properties of a Transparent Epoxy-Diamine System in the Presence of an Organic UV Absorber. *Materials*. 2017;10(2):180.
128. Munusamy E, Luft C, Pemberton J, Schwartz S. Unraveling the Differential Aggregation of Anionic and Nonionic Monorhamnolipids at Air–Water

and Oil–Water Interfaces: A Classical Molecular Dynamics Simulation Study. *The Journal of Physical Chemistry B*. 2018;122(24):6403-6416.

129. Ning C, Dou L, Yang P. Bandgap engineering in semiconductor alloy nanomaterials with widely tunable compositions. *Nature Reviews Materials*. 2017;2(12):17070.

130. Hales J, Barlow S, Kim H, Mukhopadhyay S, Brédas J, Perry J et al. Design of Organic Chromophores for All-Optical Signal Processing Applications. *Chemistry of Materials*. 2013;26(1):549-560.

131. Güllü Ö, Türüt A. Photovoltaic and electronic properties of quercetin/p-InP solar cells. *Solar Energy Materials and Solar Cells*. 2008;92(10):1205-1210.

132. Gao W, Hou W, Zhen Z, Liu X, Liu J, Fedorchuk A et al. Design and preparation of novel polyarylene ether materials based on Diels–Alder reaction as the crosslinker for electrooptical modulators. *Optical Materials*. 2016;57:63-70.

133. Yılmaz Y, Kaya D, Pekcan Ö. Can the glass transition in bulk polymers be modeled by percolation picture?. *The European Physical Journal E*. 2004;15(1):19-25.

134. Ли, Х. Справочное руководство по эпоксидным смолам. Москва:Энергия; 1973. с 415.

135. Shevchenko V, Sidorenko A, Bliznyuk V, Tkachenko I, Shekera O. Azo-containing polyurethanes with nonlinear-optical properties. *Polymer Science Series A*. 2013;55(1):1-31.

136. Ranon P, Shi Y, Steier W, Xu C, Wu B, Dalton L. Efficient poling and thermal crosslinking of randomly bonded main-chain polymers for stable second-order nonlinearities. *Applied Physics Letters*. 1993;62(21):2605-2607.

137. Tsutsumi N, Matsumoto O, Sakai W, Kiyotsukuri T. Nonlinear Optical Polymers. 2. Novel NLO Linear Polyurethane with Dipole Moments Aligned Transverse to the Main Backbone. *Macromolecules*. 1996;29(2):592-597.

138. Mishurov D, Voronkin A, Bogatyrenko S. Effect of concentration of 3,5,7,3',4'-Pentahydroxyflavone on nonlinear properties of doped epoxy polymers. *Journal of Polymer Materials : An International Journal*. 2018; 35(2):181-194.

139. Dmytro Mishurov D, Voronkin A, Roshal A, Bogatyrenko S, Vashchenko O. Synthesis and characterization of dye-doped polymer films for non-linear optical applications. *Chemistry & Chemical Technology*. 2019;13(4):459-464.

140. Liu J, Xu G, Liu F, Kityk I, Liu X, Zhen Z. Recent advances in polymer electro-optic modulators. *RSC Advances*. 2015;5(21):15784-15794.

141. Ma X, Ma F, Zhao Z, Song N, Zhang J. Synthesis and properties of NLO chromophores with fine-tuned gradient electronic structures. *Journal of Materials Chemistry*. 2009;19(19):2975.

142. Mishurov D, Voronkin A, Roshal A, Bogatyrenko S. Influence of structure 3,5,7,3',4' -Pentahydroxyflavone-based polymer films on their optical transparency. *Optical Materials*. 2017;64:166-170.

143. Li M, Zhang X, Shi Z, Wan Y, Zhao L, Jin R et al. Synthesis of novel two-dimensional spindle-type fluorinated nonlinear optical chromophores. *Optical Materials*. 2012;34(4):705-710.

144. Li Z, Li P, Dong S, Zhu Z, Li Q, Zeng Q et al. Controlling nonlinear optical effects of polyurethanes by adjusting isolation spacers through facile postfunctional polymer reactions. *Polymer*. 2007;48(13):3650-3657.

145. Li Z, Li Q, Qin J. Some new design strategies for second-order nonlinear optical polymers and dendrimers. *Polymer Chemistry*. 2011;2(12):2723.

146. Mishurov D, Voronkin A, Roshal A, Brovko O. Relaxation behavior and nonlinear properties of thermally stable polymers based on glycidyl derivatives of quercetin. *Optical Materials*. 2016;57:179-184.

147. Mishurov D, Voronkin A, Roshal A, Bogatyrenko S. Influence of structure 3,5,7,3',4' -Pentahydroxyflavone-based polymer films on their optical transparency. *Optical Materials*. 2017;64:166-170.

148. Williams D. Organic Polymeric and Non-Polymeric Materials with Large Optical Nonlinearities. *Angewandte Chemie International Edition in English*. 1984;23(9):690-703.

149. Cheng L, Tam W, Stevenson S, Meredith G, Rikken G, Marder S. Experimental investigations of organic molecular nonlinear optical polarizabilities. 1.

Methods and results on benzene and stilbene derivatives. *The Journal of Physical Chemistry*. 1991;95(26):10631-10643.

150. Ulman A, Willand C, Kohler W, Robello D, Williams D, Handley L. New sulfonyl-containing materials for nonlinear optics: semiempirical calculations, synthesis, and properties. *Journal of the American Chemical Society*. 1990;112(20):7083-7090.

151. Woźnicka E, Pieniążek E, Zapała L, Byczyński Ł, Trojnar I, Kopacz M. New sulfonic derivatives of quercetin as complexing reagents: synthesis, spectral, and thermal characterization. *Journal of Thermal Analysis and Calorimetry*. 2014;120(1):351-361.

152. Burland D, Miller R, Reiser O, Twieg R, Walsh C. The design, synthesis, and evaluation of chromophores for second-harmonic generation in a polymer waveguide. *Journal of Applied Physics*. 1992;71(1):410-417.

153. Воронкін А, Мішуров Д, Рошаль О, Богатиренко С. НЛО матеріали на основі епоксидної матриці допованої 3,5,7,3',4'-пентагідроксифлавоном-8-сульфоною кислотою. *Полімерний журнал*. 2018;39(4):232-240.

154. Mishurov D. The Sulfonation of 3,5,7,3',4'-Pentahydroxyflavone and Non-Linear-Optical Activity of its Sulfonic Derivatives. *Chemistry & Chemical Technology*. 2019;13(1):33-37.

155. Saadeh H, Gharavi A, Yu D, Yu L. Polyimides with a Diazo Chromophore Exhibiting High Thermal Stability and Large Electrooptic Coefficients. *Macromolecules*. 1997;30(18):5403-5407.

156. Nonlinear optical properties of ionic NLO chromophores: An attempt to bridge the gap between computation and experiment. *International Journal of Quantum Chemistry*. 2005;105(4):348-358.

157. Sumathi S, Anitha C, Tharmaraj P, Sheela C. Spectral, NLO, Fluorescence, and Biological Activity of Knoevenagel Condensate of β -Diketone Ligands and Their Metal(II) Complexes. *International Journal of Inorganic Chemistry*.

158. Mishurov D, Voronkin A, Nedilko O, Zykina I. The influence of different factors on exploitation properties of nonlinear optical polymeric materials based on an epoxy matrix doped with flavonoids. *Polymer Testing*. 2020;87:106535.

159. Dall'Acqua S, Miolo G, Innocenti G, Caffieri S. The Photodegradation of Quercetin: Relation to Oxidation. *Molecules*. 2012;17(8):8898-8907.

Cushnie T, Lamb A. Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*. 2005;26(5):343-356.